REMARKS

By the present Amendment, Table 4 has been amended to correct the indication that Polyol D is within the definition of Polyol (C) consistent with the characterization shown in Tables 1-3. The claims, however, have not been amended as applicants respectively maintain that the claims are patentable over the cited prior art of record.

Based on the reasons set forth in the Official Action, applicants believe that the Examiner may not fully appreciate the significance of each of the recited features of the claims and therefore provide the following discussion. As recited in claim 1, one aspect of the present invention relates to a flexible polyurethane foam obtained by contacting a polyol composition (A) comprising 0.5 to 3 parts by weight of a polyetherpolylol (polyol (D)) having a defined amine value and a defined hydroxyl value that is produced by the addition of an alkylene oxide to at least one amine compound represented by defined formula (II) with an organic polyisocyanate. The polyol composition additionally comprises 0 to 99.5 parts by weight of defined polyol (B) and 0 to 99.5 parts by weight of defined polyol (C) with the polyols being in such a ratio that the sum is 100 parts by weight. Claim 4 recites the polyol composition, per se, using the same definitions and amounts.

The first point to recognize is that the defined polyol composition is designed to obtain a flexible polyurethane foam as explicitly recited in claim 1. A flexible polyurethane foam has a significance in the art and is understood to be different from rigid foams. It is for this reason that the flexible polyurethane foam of claim 1 is especially suitable as an automobile seat pad or sound insulating material as recited in certain claims of record. The understanding in the art that flexible polyurethane

foams are distinct from rigid foams is substantiated by reference to the attached Tables of Contents of "Polyurethane Handbook" (see sections 5 and 6) and "Handbook of Polymeric Foams and Foam Technology" (see sections 4 and 5).

The next point to consider is that the claims expressly recite that the polyol (D) be present in an amount of 0.5 to 3 parts by weight and is a polyetherpolylol having a defined amine value and a defined hydroxyl value that is produced by the addition of an alkylene oxide to at least one amine compound represented by defined formula (II). Defined polyol (B) and/or polyol (C) must also be present so that the total amount of polyol is 100 parts by weight.

When following the teachings of the present invention, a flexible polyurethane foam can be obtained that can exhibit reduced volatile amine emission and which has excellent characteristics as shown in the Examples in the Tables starting on page 33. For instance, Examples 2 and 3 in Table 1 illustrate that when the polyol is produced by the addition of ethylene oxide to methyliminobispropylamine (within formula (2) of the independent claims), superior curability is obtained relative to Comparative Examples 2 and 3 that use polyols produced by adding ethylene oxide to ethylene diamine, a common aliphatic amine compound that does not meet formula (2). It will also be noted that Comparative Example 4 uses Polyol J which is also prepared from methyliminobispropylamine, but which has an amine value and hydroxyl number outside of those claimed (see the discussion at the bottom of page 29) and provides inferior results.

With respect to Table 2, a comparison of Examples 5 and 6 shows that when the polyol is produced by adding ethylene oxide to methyliminobispropylamine

¹ Due to the length of the chapters, they have not been attached. However, at the request of the Examiner applicants will provide them.

(Example 5), superior results with respect to closed cell properties, elongation and wet heat compression set can be obtained relative to when the polyol is produced by adding ethylene oxide to 1-(2-aminoethyl)piperazine. Comparative Example 7 in Table 2 illustrates the adverse consequences of too much polyol (D) in the composition (i.e., 3.2%) while other Comparative Examples show the effect of too little polyol (D).

The WO '976 publication does not in any way disclose or teach the defined foam or composition which includes 0.5 to 3 parts by weight of the polyol (D) having the defined amine value and the defined hydroxyl value that is produced by the addition of an alkylene oxide to at least one amine compound represented by defined formula (II). It is noted that the WO '976 publication expressly distinguishes between flexible and rigid foams and in the paragraph bridging pages 8 and 9 states that in the production of "flexible polyurethane foam", the average hydroxyl number should be in the range of 20 to 100 mg KOH/g, preferably from 20 to 70 mg KOH/g. Therefore, it is clear that the WO '976 publication would actually teach away from this aspect of applicants' invention.

With regard to the recited amount of polyol (D) being 0.5 to 3 parts by weight, applicants again note that the evidence of record demonstrates the relevance of this recitation. In contrast, the WO '976 publication discloses that (b2) (the material alleged to meet polyol (D) in the Action) is present in an amount of 5 to 100 parts by weight. The illustrative materials of (b2) are Polyol B at page 22, line 30 having a 1,000 EW which corresponds to a hydroxyl value of 56 mg KOH/g and Polyol F on page 23, line 20 having a 1,700 EW that corresponds to a hydroxyl value of about 33 mg KOH/g. Furthermore, Polyol B is used in an amount of 100% in Table 1, 40 and

50% in Table II, 20, 40.4 and 20.2% in Table IV and 50% in Table VI while Polyol F is used in an amount of 95.5 and 46.75% in Table VII. Therefore, this information, which cannot be ignored, also would lead those of ordinary skill in the art away from the present invention.

Accordingly, without improperly resorting to applicants' own specification, the WO '976 publication would not lead those of ordinary skill in the art to applicants' claimed invention or to an appreciation of the substantial advantages which can be obtained therefrom. Indeed, by following the teachings of the WO '976 publication, one would be led away from invention as defined in the claims.

The further reliance on <u>Falke et al.</u>, U.S. Patent No. 6,087,410, to show the wet heat compression set ratio and density recited in dependent claims 6 and 7 does not remedy the substantial shortcomings of the WO '976 publication. Thus, even assuming for the sake of argument that a proper basis exists for combining the documents in the manner advanced by the Examiner, the claims of record are still patentable over the combination of patent documents.

For all of the reasons set forth above, applicants respectfully submit that the claims of record are patentable over the cited prior art, especially in view of the technical evidence that has been provided, and therefore request reconsideration and allowance of the present application.

Should the Examiner have any questions concerning the subject application, the Examiner is invited to contact the undersigned attorney at the number provided below.

The Director is hereby authorized to charge any appropriate fees under 37 C.F.R. §§ 1.16, 1.17 and 1.20(d) and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 02-4800.

Respectfully submitted,

BUCHANAN INGERSOLL & ROONEY PC

Pobert G. Mukai

Registration No. 28,531

Customer No. 21839 703 836 6620

Date: September 3, 2010

Polyurethane

Chemistry - Raw Materials - Processing - Application - Properties

Edited by Dr. Günter Oertel

With 544 Figures and 121 Tables

With contributions from

L. Abele, Dr. A. Awater, H. Boden, Dr. F.-K. Brochhagen, Dr. M. Dahm,
Dr. D. Dieterich, Dr. W. Dietrich, Prof. Dr. W. Diller, Dr. M. Dollhausen,
Dr. F. Einhard, Dr. H.-A. Freitag, G. Cabrysch, Dr. H. Gall, Dr. W. Goyer,
Prof. Dr. E. Grigat, Dr. W. Hahn, Dr. G. Haupmann, Dr. H. Hespe,
Dr. R. Hirtz, J. Hoffmann, H.-G. Hoppe, Dr. W. Kallert, Dr. H. Kleimann,
Dr. U. Knipp, Dr. H. J. Koch, Dr. K.-J. Kraft, B. Krifger, Dr. R. Kubens,
Dr. G. Loew, Dr. E. Mössert', Dr. G. Mennicken, Dr. F. Müller, H. Ostromow,
F. Prager, Dr. K. Recker, Dr. M. Roegler, Dr. H. M. Rothermel,
Dr. H.-D. Rupprocht, H.-J. Sachs, Dr. H. Schäfer, Dr. K. Schauerte,
Dr. H.-G. Schneider, K. Schulte, Dr. K. Seel, Dr. H. Thomas, Dr. H. Toepsch,
Dr. Gr. Weber, Dr. W. Wellner, H. Wieczorrek, Dr. H. Witz,
Dr. Ch. Weber, Dr. W. Wellner, H. Wieczorrek, Dr. H. Witz,
Dr. K.-H. Wolf, Dr. R. Zöllner



Hanser Publishers, Munich Vienna New York

Distributed in the United States of America by Macmillan Publishing Co., Inc., New York and in Canada by Collicr Macmillan Canada, Ltd., Toronto

Numerical lamespread ratings mentioned in this book are not intended to reflect hazards presented by those or any other materials under actual fire conditions.

Edited by Dr. Günter Oertel Bayer AG, PU Anwendungstechnik D-5090 Leverkusen, Bayerwerk

Published by Carl Hanser Verlag Kolbergerstr. 22 D-8000 München 80 Distributed in USA by Scientific and Technical Books Macmillan Publishing Co., Inc. 866 Third Avenue, New York, N. Y. 10022 Distributed in Canada and Latin America by Collier Macmillan International 866 Third Ayenue, New York, N. Y. 10022-6299

Distributed in the United Kingdom by Adam Hilger Ltd. Techno House, Redeliffe Way Bristol BS 1, 6MX Great Britain

Distributed in all other countries via Carl Hanser Verlag Kolbergerstraße 22 D-8000 München 80 CIP-Kurztitelaufnahme der Deutschen Bibliothek

Polywethane Handbook: Chemistry — Raw Materials — Processing — Applications / ed. by Günter Oertel. With contributions from L. Abele. ... — Munich; Vienna : Now York : Hanser, 1985. ... Einbeitssacht :: Polywethane <engl.> Trilausg. von: Kunststoff-Handbuch ISBN 3-446-13671-1 NE: Oertel, Günter [Hrsg.] ; Abele, Lothar [Mitverf.] ; EST

ISBN 0-02-948920-2 Macmillan Publishing Co., Inc., New York Library of Congress Catalog Card Number 85-060442

All rights reserved. No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval system, without permission from the publisher. Copyright © Carl Hanser Verlag, Munich 1985 Printed in Germany (FRG) by Spandel-Druck GmbH, Nürnberg

Preface

The 'Polymethanes' volume of the Kunststoff-Handbuch series was selected for translation into English in light of the tremendous pace of technological development and commercial progress since the basic invention of polymethane chemistry by Prof. Otto Bayer nearly 50 years

Today, numerous building blocks and polymer structures are available to chemists and engineers for the synthesis of polyurethanes by the polyaddition principle. During fifty years of polyurethane chemistry, several polyisocyanates have become available on a technical scale. Most prominent and important among them are the two high volume product groups: toluene diisocyanate (TDI) and diphenyl methane diisocyanate (MDI). Using isocyanates and a multitude of polyester- and polyether-polyols, the polyurethane chemist was able to talormake thermoset and thermoplastic materials. Understanding the dependance of physical properties on polymer morphology is an invaluable tool in this process. Progress in polymer physics and in polymer analysis has made special contributions towards that understanding.

Because the manufacturer of polyurethane articles converts low-molecular weight raw materials into finished polymers at the production site, we have placed special emphasis on the chemistry of polyurethane raw materials, on process description, and on processing equipment. We sincerely thank the authors of this volume for their efforts. Special thanks go to Mars. Perra Böckly, as well as to Drs. Brockhagen, Hahn, Rothermel, Schumere and Uhlig, who integrated the various chapters and formulated the final version of the book.

This volume was not translated by professional translators, but by experts in polyurethane technology at the Mobay Chemical Corporation under the supervision of Dr. J. I.ck. We thank the translating team for their effort, and hope that the technical quality of the English edition compensates for any possible stylistic flaws.

Leverkusen, April 1985

Günter Oertel

Contents

-	_	7	9		7	7	7	∞	Q ;		2 5	77	182	19	19	19	19	8	21	77	55	77	75	74	24	77	24	56	26	56	27	27	8 8	28	78	8 8	23	53	23	25	31
																																							,		
																					٠							٠			٠	٠	٠						•	٠	•
																							٠	•			٠		٠	٠	•	٠	٠					٠	٠		•
•							٠								•	•	٠	•	٠		٠	٠	٠		•	٠	٠	٠	٠	•	٠	٠	٠	٠	•	•	٠	٠	٠	٠	a .
	•	•	•		٠	•	٠	٠		٠	•	٠		•		•	•	٠	•	٠	٠	٠	٠	٠	•	٠	•	٠.	٠	•	•	٠	•	٠	•	•	•	•	•	•	ъ.
	٠	-	•		•	٠	•	٠	-	•	٠	٠		•	٠	•	٠	•	•	٠	•	٠	٠	٠	٠	•	٠	•	٠	٠	٠	•	•	٠	•	•	•	•	٠	٠,	칍 .
	•	٠	•	Ē	•	•	•	٠	٠	•	٠	٠		•	•	٠	٠	٠	•	•	•	•	•	•	٠	•	•	٠	•	٠	•	٠	•	•	٠	•	•	•	•	•	of polyurethanes
	•	•	•	į	•	•	•	٠	٠	٠	_	•	•	•	•	٠	٠	٠	٠	٠	٠	•	•	•	•	٠	•	•	•	•	•	٠	•	•	•	•	•	•	•	٠,	<u></u> ₹
	•	•	•	ē	•	•	•	•	•	٠.	Hahn)	•	•	•	_	٠	•	•	•	•	*	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	요 :
•	•	٠	•	ರ	•	•	•	•	•	٠,	10	•	•	•	4	•	•	٠	•	S	٠	•	•	•	•	•	•	•		•	•	•		•		•	:	•		•	♂.
•	•	•	•	9	٠	•	•	•	•		7	•		•	Dieterich	•	•	•	•	5	Ċ	•	•	•	•		Ċ	:	•	:	Ċ		·		÷					Ċ	ဥ
•	•	•	•	Jar	•	•		:	•	•	2	:			ete	:	:	:		35	:	:	:	Ċ	:	÷	÷	:	:	:	`.		:		÷	:	÷				Ē €
•	•	•	-	Ŧ	•		·	·	\mathfrak{S}	:	÷	:			Q					÷																					35 55
	·			Ę	E			13	пa		3				D.					5	s					κĄ															出出
				- 5	[4]		ď	an	Ş		ន									Ö	Ë					8															음등
				Α.	Η.	_	õ	ä	8		뎚				9					d i	ŝţ					ız.										nsc				٠,	of the structure Dr. H. Hespe)
	50			ਠ	2	3	වා	ភ្ជ	. <u>ee</u>		등				S			٠		8	8		,	E	DS.	8								٠	٠	=	•				
	The Development of the Polyurethanes			<u>8</u>		Chemical Principles (Prof. Dr. E. Grigat)	Basic reactions of the isocyanate group	2.1.1.1 Addition of nucleophilic reactants	Self-addition reactions of isocyanates		Important Building Blocks for Polyurethanes (Dr				Preparation Methods for Polyurethanes				-	Completely reacted one-component	Reactive one-component systems	Two-component systems		Recent Developments (Dr. D. Dieterich)	Aqueous polyurethane dispersions	2.4.1.1 Emulsifier-containing dispersions	•		Properties of dispersions		-	٠	٠	٠		2.4.7.1 Applications for external	•	٠	٠	S	Perceptions on the physical chemistry of the structur (Dr . D . Dieterich in cooperation with Dr . H . $Hespe$)
	pa			- 6	a.	G	ХÜ	逗	SE	6	Š	•			ੜ੍ਹ				٠	9	ğ	<u> </u>		ite	cıs	20	10	Non-ionic dispersions	.g	•	٠	٠	٠	٠	•	Ē.	٠	٠	٠	Mixtures with other polymers	ST X
	5	The Market of the Polyurethanes		Ĕ.	άť,	ध्यं	Š	do	.5	Formation of polyurethanes	<u>പ്</u>		•		H	٠		Prepolymer process	٠	꺿	ĕ	5	Aqueous two-phase systems	ä	G	洁	Ionomer dispersions	.g	ğ	٠	٠	٠	٠	•	٠	X	•	•	· .	<u>1</u>	8 4
	롨	121	٠	2	.50	F.	SO	끙	8	P2	5		•		_5,	•	One-shot process	ğ	٠	ĕ	ü	#	ste	~	÷	<u>=</u>	ĕ	8	į.	•	٠	٠	٠	٠	•	Ä	S	•	Organo-mineral systems	В,	중 :물
<u>₩</u> .	Ö	븅		' ह	G	9	.e	ã	뭐	ਬੁ	SS.	٠	•		- Po	22	ğ	ĭ	ď	5	ň	5	3	7.	ä	Ħ	뎚	32	9	٠	•	•	•	٠	co.	,2	Artificial organs	•	stc	Ħ,	귷멽
. 참	שע	Ħ		-8	ы	9	윤	<u>~</u>	10	夏	ŭ	٠	•		늄	Solvent-free reactions	ď	H	Reactions in solution	>	ä	Ö.	Se	à	þa	ğ	<u>.</u>	Ð	0	٠	٠	•	s	٠	Medical applications	2	3	•	δ,	ğ.	뜷춙
E (8)	-5	중.		펄		à	õ		温	9	읐	•	•		Ξ.	ਨੂ	'n	Ĕ	Ξ	프	9	a	pa,	Š	걸	Ę,	ŭ	.辩	ž.	٠			6	•	뗥	ŭ	=		ऩ	۰,	許ら
7 7	ot	ച	흘	Ţ	Q	s (us	١.٥	꿯.	f,	ου HH	•	•		ğ	5	ğ	츳	S	듾	<u>.</u> Ž.	8	랍	ü	돐	Sil	ä	.₫	댦	•	83	٠	'∄	•	<u>ij</u>	2	<u>'ö</u>	SE	E :	=	7.5
.a e.	Ħ	8	g	૽ૣ	2	~~	.0	Ŧ	2	0	Ē	s	•		ă	يو	9	ğ	Ľ.	Ē	22	ò	≱	ä	ō	Ē	õ	Ė	ď	•	Microcapsules	•	Aqueous solutions	w	e.	ď	5	Matrix foams	:월	≱,	표 :
€ ⋈	Ę		김	si.	ď	. <u>G</u>	ä	þ	덛	8	몀.	Isocyanates	٠ ٧	2 52	न्	Ë	8	F.	23	റ	ည္တ	Ĕ	i.	ğ	S,	盟	₫	ž	ద	٠.	g	Hydrogels	S	Poromerics	ਜ਼	Αp	A.	<u>~</u>	3	છુ	<u> </u>
<u>a</u> .	몺	0	Ę.	À	· 45	-12	ذ	_	01	ät.	쯂	Ĕ.	Polyois	Additives	~	늄	_	~	.ē		~	m	ğ	ন্ত	Ä	Ξ.	~		4	Powders	ğ	50	ä	2	7	-	ر ا	æ	an	Ξ	ie o
æ ₽	읁	हुं	2	D.	0	Δ.	9.	H	2.1.1.2	В	=	5	2 8	#	. 6	Ş	2,3,1,1	2,3,1,2	덫	2.3.2.1	2.3.2.2	2.3.2.3	ĕ	દુ	ä	-	2.4.1.2	2,4.1.3	2.4.1.4	Ž	ä	Ð	ğ	ĕ	ŧ	1	2.4.7.2	Ę	땶.	Ě	200
2 E	Š	峀.	ist.	ם	ā	귬	325	\pm	$\overline{}$	Ö	뮵	Š.	ē ;:	7	ati.	7	ωį	κį	Š	M.	n	7	5	Ц	è	4	4	4	4	ō	ŧ	Ž	\$	ö	Š	4	4	,≥;	Ο.	≥.	¥ 7.
1 in	Ã	∑ `	•	~ ~	25	Ĩ.	ш	ч		μ,	듄,				쳝	0)	ч			CA	C		~	륫	~	(4	CV									.4		m	_	2.4.10	E C
Ŧ .	2	9	ä	ිජි	Ξ.	<u> </u>	2.1.1			2.1.2	d.	2.2.1	7.7.7	224	9	2,3.1			2.3.2				2.3.3	S	2.4.1					2.4.2	2,4.3	2.4.4	2.4.5	2.4.6	4			2.4.8	2.4.9	4	£ 5.
Polyurethanes and their Market (Dr. R. Hirtz, Dr. K. Uhlig)	H	F	Reference list for Chapter 1	Chemical and Physical-Chemical Principles of Polyurethane Chemistry	(Dr. D. Dieterich, Prof. Dr. E. Grigat, Dr. W. Hahn)	Ü	તં					4	40	i c		4			તં											γi	c;	ď	Сį	ci	ς;			Cį.	તં		
විසි	1.1	::	ē	Ę	5	2.1					2.2				2,3									2.4																	2.5
<u> </u>	-	-	EX,			7					7				N									(4																	•
-				7																																					

X Contents	Contents
2.5.1 Two-component polyurethanes without segmented structure	3.3.1.1 Filled polyols
2.5.2 Segmented polyurethanes	3.3.1.2 Polyol prepolymers
2.5.2.1 Hard and solt segments	
2.5.2.2 Segregation and domain morphology	33 5.3.2 Conversion products of polytosocyanates
2.5.2.4 Effects of hard segments domains on mechanical and thermal	
properties	35 groups
of the soft segment matrix on thermal and mec	3.3.2,3 Polyisocyanates with allophanate, urea, and biuret g
properties	3.3.2.4 Polyisocyanate prepolymers
2.5.2.6 Crosslinked polyurethanes	
Reference list for Chanter 3	3.3.4.0 Fatty acid-modilion isocyanates
	eri eri
3 Row Motowiels	
JAMY IMMERIALS	3.3.3.2 Solutions of solid materials
(Dr. K. Schauerte in cooperation with Dr. M. Dahm, Prof. Dr. W. Diller,	3.3.3.3 Polyurethane polyols produced in solution
Dr. A. Unitt)	3,3,3,4 Solid materials from solutions
3.0 Introduction (Dr. K. Schauerte)	42 3.3.3.5 Transport, storage, handling
3.1 Polyols (Dr. K. Schauerte)	a - woman
3.1.1 Polyether	3.4
3,1,1,1 Chemical structure	3.4.1
3.1.1.2 Raw materials for polyethers	3.4,1.1
3.1.1.3 Commercial production	************
3.1.1.4 Typical properties	
3.1.1.5 Transport, storage, handling	3.4.2
3.1.1.6 Quality and analysis	3,4,3
3.1.1.7 Commercial products	
3.1.2 Polyester	3,4,3,2 Amines
3.1.2.1 Chemical structure	
3.1.2.2 Raw materials for polyesters	3.4.4
3.1.2.3 Commercial production	F
3.1.2.4 Properties	3.4.4.2 Foam stabilizers
3.1.2.3 Transportation, storage, handling	3.4.4.3 Cell regulators
2.2.1.0 Quanty and analysis	3,4,5 Blowing agents
Defends list for Charten 24	3.4.5.1 Chemical blowing procedure
3.2 Teconomorpe (Dr. N. Calemana)	3.4.5.2 Physical blowing procedures
3.9.1 Reaction Characteristics	3.4.6 Addinves for liame relargance
3.2.2 Starting Materials for Isocvanates	3.4.8
3.2.3 Commercial production	3.49 Mold release agents
3.2.3.1 Chemical background	3.4.10
3.2.3.2 Phosgenation processes	3.4.11
3.2.3.3 Product processing	3.4.12
3.2.3.4 Special manufacturing processes	
3.2.4 Characteristics	
3.2.5 Transportation, storage, and handling	3.5 Industrial Hygione of PU Raw Materials (Prof. Dr. W. F. Diller)
3.2.6 Quality and analysis	23.5.1 Polypols and polyol formulations
3.2.7 Commercial products	3.5.2 Isocyanates
3.3 Convention Dendunds of Barn Materials (D. 77 Submission)	5.5.2.1 Acute ellects of 180cyanates
3.3 Conversion Products of Kaw Matchais (Dr. K. Schauerle)	7.5.2.2 Chronic exposure to isocyanate
conversion products of polyols	3.5.2.3 Protective medical measures

Солень	5.2.3 Properties 5.3 Flexible Polyurethane Molded Foam (Dr. HA. Freitag, Dr. A. Volland) 5.3.1 Production of flexible molded foams 5.3.1.1 Raw materials 5.3.1.2 Process technology 5.3.2 Properties of molded foams 5.3.3 Applications of molded flexible foam 5.4.5 Semi-Rigid Polyurethane Molded Foams (Dr. H. Schäfer)	5.4.1 Production 5.4.1.1 Raw materials and production methods 5.4.1.2 Processing technology 5.4.2 Properties 5.4.2.1 Damping properties 5.4.2.2 Damping properties 5.4.3.1 Protective paddings 5.4.3.1 Protective paddings 5.4.3.4 Floor mats 5.4.3.5 Miscellaneous applications Reference list for Chapter 5 6. PU Rigid Foam	U.P. F. Brochaugen, Dr. P. Parker, S. Colland, Dr. R. Zeilner) 6.0 Introduction (Dr. K. J. Kraff) 6.11 Chemistry and Raw Materials (Dr. W. Dierrich) 6.12 Polyiscoyanates 6.13 Blowing agents and other additives 6.14 Manufacturing of Rigid Polyurethane Foams (G. Gabrysch) 6.22 Manufacturing of buns 6.22 Laminated panels 6.22.3 Composite panels 6.23.3 Composite panels 6.23.5 Shell method 6.23.5 Fillers 6.24.1 Refrigerator/Freezer cabinets 6.24.1 Refrigerator/Freezer cabinets 6.24.2 Refrigerator and freezer doors 6.24.3 Water heaters 6.24.5 Processing of pre-insulated pipes 6.25.7 PU in situ foam
	3.5.3 Additives	4 Polyurethane Processing (H. Baden, K. Schulte, Dr. H. Wirtz) 4.1 Basics 4.2 Design Principles for Polyurethane Processing Equipment 120 4.2.1 Comparison of the metering and mixing machine systems 124 4.2.2 Comparison of the plant systems 129 4.3.1 Delivery and storage of the raw materials 129 4.3.2 Preparation of components 131 4.3.3 Metering 143 4.3.4 Mixing 152 4.3.5 Pouring 156 Reference list for Chapter 4 159	5 Flexible Foams (Dr. H. A. Freitag, Dr. G. Hauptmann, Dr. K. Recker, Dr. M. Roegler, Dr. H. Schäfer, Dr. R. Volland) 161 5.0 Introduction (Dr. G. Hauptmann) 162 5.1 Slabstock Foams (Dr. M. Roegler) 162 5.1.1 Production of slabstock foams 163 5.1.1 Production of slabstock foams 165 5.1.1 L. Curing and storing of slubstock foams 169 5.1.1.2 Utilization of cutting scrap 171 5.1.1.5 Slab foam systems and their manufacturing formulations 177 5.1.2 Properties of slabstock foams 192 5.1.3 Applications for slabstock foams 192 5.1.3 Applications for slabstock foams 193 5.1.3 Droperties 51.3.2 Mattresses 5.1.3.5 Packaging 51.3.5 Packaging 5.1.3.6 Household goods 194 5.1.3.7 Miscellaneous application 198 5.2.2 Production 198 5.2.2 Production 198 5.2.2 Production 198 5.2.2.1 Reverse coating 198

CHANGO	6.5.3 Technical insulation 6.5.3.1 Pipe insulation 6.5.3.1 Pipe insulation 6.5.3.1 Perinsulated pipes 6.5.3.1 Perinsulated pipes 6.5.3.2 Insulation of tanks 6.5.3.2 Insulation of tanks 6.5.3.2.1 Normal temperature range 6.5.3.2.2 Low temperature range	6.5.4 Automotive industry 6.5.4.1 Interior liners 6.5.5.1 Cavity foaming 6.5.5.1 Rehrigerated vehicles 6.5.5.2 Lansulation for transportation of special products 6.5.5.2 Caravans and mobile homes 6.5.6.1 Foaming of cavities 6.5.6.1 Foaming of cavities 6.5.6.2 Insulation of cold storage holds in fishing boats	6.5.6.3 Boat building 6.5.7 Packeging 6.5.7.1 Direct energylation 6.5.7.2 Transportation protection in vehicles 6.5.7.3 Sandwich-Cardboard Boxes 6.5.8 Other fields of application 6.5.8.1 Rigid polyurethane foams for hortculture 6.5.8.2 Sporting goods 6.5.8.2 Furniture 6.5.8.4 Solar technology 6.5.8.5 "Radomes" 6.6.6 Consolidation of Coal and Surrounding Strata (Dr. R. Kubens) 6.6.1 The cartridge process 6.6.1.1 The cartridge process 6.6.1.2 Injection process	Reference list for Chapter 6 7 Polyurethane Integral Skin Foam 7 Polyurethane Integral Skin Foam 7 (Dr. H. Kleimann, Dr. U. Knipp, Dr. E. Meisert t, Dr. H. Schäfer, 7.1 Introduction (Dr. H. Wirtz) 7.2 Introduction (Dr. H. Wirtz) 7.2 Production Technology (Dr. U. Knipp) 7.2.1 Metering and mixing technique 7.2.2 Gating and molds 7.2.2 Aoids 7.2.2 Molds 7.2.3 Mold carriers 7.3 Hoxible Polyurethane Integral Skin Foams 7.3 Flexible Polyurethane Integral Skin Foams 7.3.1.2 Properties 7.3.2 Flexible polyester foams (Dr. E. Meisert †)
V Contents	in situ foam ainer system (Dr. R. Zöllner) sotrtopy property determination	6.3.2. Mechanical properties 6.3.2.1 Compressive strength 6.3.2.2 Tensile strength 6.3.2.3 Bending and shear strength 6.3.2.4 Effect of heat and time on properties 6.3.2.4 Dimensional stability at low and high temperature 6.3.4 Open cells — Closed cells 6.3.5 Thermal conductivity 6.3.5.1 Effect of density 6.3.5.2 Effect of the cell gas 6.3.5 Legal Control of the cell gas 6.3.5 Effect of the cell gas	ansion Methods and Properties nously produced laminated boards luced laminated boards sinces ers on one side ers on both sides PU sandwich elements	6.4.3 Molded parts with facers 6.4.3 Appliances 6.4.3.1 Appliances 6.4.4.5.2 Preinsulated pipes for district heating 6.4.4 Pour-in-place rigid uterhane foam 6.5 Application of Rigid PU Foams (Dr. G. Loew) 7.73 6.5.1 Refrigeration technology and appliances 6.5.1.1 Refrigerators and freezers 6.5.1.2 Commercial display cases 6.5.1.4 Refrigerated Warehouses and walk-in-coolers 6.5.1.5 Water heaters 6.5.1.5 Water heaters 6.5.2 Sandwich elements 6.5.2 Sandwich elements 6.5.2.2 Sandwich elements 6.5.2.3 Specialty elements 6.5.2.5 Wall blocks with integrated insulation 6.5.2.5 Wall blocks with integrated insulation 6.5.2.6 Spray foam 6.5.2.6 Spray foam 6.5.2.7 One-component foam from pressurized containers 6.5.2.7 One-component foam from pressurized containers

2.29 6 2.29 6 2.29 6 2.29 6 2.29 6 2.29 6 2.29 6 2.29 7 2.

315 318 318 318 320 320 325 325 325 325 325

Contents

Contents

) 1222/2007

•	4		417	414		5			418	418		42	4.	4	\$	5	423	53	424	426	426	4	23	475	430	43.0	5.5	433	435	437	438	438	439	440	441	44	43	443	444	445	54	445	447			450		450	3
8.2.2.7 Calendering	8.2.2.8 Bonding/Welding	ert)		8.2,3.2 Low temperature behavior	8.2.3.3 Dynamic characteristics	8.2.3.4 Gas permeability	8.2.3.5 Chemical resistance	8.3 Special Elastomers	8.1.3 Millable urethane gum (Dr. W. Kallert)	8,3.1.1 Production	8.3.1.2 Vulcanization systems	8.3.1.3 Particulars for processing	8.3,1.4 Properties of the vulcanizate	8.3.1.5 Water crosslinking	8.3.2 Polyurcthane prepregs (Dr. K. Recker)	8.3.2.1 Production	8.3.2.2 Processing of polyurethane prepregs	8 3 3 3 Pronerties	8 4 Amplications for Polyurethane Elastomers (HG. Hoppe)	8 4 1 Applications in the automobile sector	8.4.1.1 Wheel joints, tie rod joints, axle strut joints	8.4.1.2 Hydropneumatic suspension system	8,4,1.3 Supplementary spring from cellular PU elastomers	8,4,1,4 Exterior auto body parts	8,4,1,5 Polyurcthane cast tires	8.4.2 General engineering applications	8.4.2.1 Rollers and roll covers	8,4,2,4 Militaly Tous	8.4.2.3 Damping elements	0.4.2.4 Dilve compound :	8,4,2,3 Wear resistant elements	6.4.2.0 Casheus	8.4.3.1 Chort and track Surfaces	8 4 3 7 Terra colta nine seals	8 4 3 4 Hormwiork mals	o A A Amelications in the electrical area	6.4.4 Applications in the shoe industry	8.4.5.1. Shoe outside covers	8.4.5.2 Sport shoe soles	8.4.6 Films and tubes	8.4.6.1 Films	8.4.6.2 Tubes	Reference list for Chapter 8	וארוסומיות יוני בייל בייל בייל בייל בייל בייל בייל בי	Domestone	9 Determination of the Composition and Properties of Fourthments	(J. Hoffmann, H. Ostromow, F. Frager, Dr. B. M. Kolnermet, Dr. J. Poger)	9.0 Introduction (Dr. H. M. Rothermel)	9.1 Determination of the Chemical Composition (H. Ostromow, Dr. J. Vogel)
T.			202	0.52	gu)	3.10	20,7	e Os	455	197	E64	# 10		(12,5	Z.E	2.0		921	bi2	ŢĮ.	Ŧ.C		U/L	215		建 原		223	PE.	all.	75	54.7	-46	322	(<u>SE</u>	G ave	ees.	5	i Ser	939		1939	Sirte	E.	iacii	1250	en d	405	-cur
			•				25.52	<u>- 92.5</u>	360	-																																							
			•				25002		460:																																							٠.	
233	333	335	335	336	336	337	337	338	338	342	346	346	347	355	357	360	307	305	730	360	369	,			ř	3/1	371	372	372	374	376	376	381	383	383	388	388	402	405	906	400	406	407	407 207	407	407	408	408	410

III Contents		Contents XIX	,
procedures		9.2.11.1 Light and weather exposure	
	·· r.z	9.2.11.2 Determination of the stability against gases, inquids, and solids	
	- _A thi		. ~
9.1.1.3 Gas chromatographic methods	:	9,2.13 Deformination of the therman continued 11 to 12	. ~
9.1.1.4 initiated specificscopy	:		-
	4.5	properties	4
	.**.		Ş
	. ****	Hoffmann)	۰
		9.3.1 Simulation of day-to-day usc	<i>(</i> - c
9.1.2.3 Determination of free monomeric isocyanates 453	*	9.3.2 Measurement methods for end-product testing	×
9.1.2.4 Polyesters 454		9.3.2.1 Dimensional stability, determination of part weights and	o
9.1.2.5 Polyethers		dimensions	2 00
9.1.2.0 Unitorination between polyeiner and polyester methants 454	*****		. 0.
9.1.2.8 Auxiliaries and additives 455	, <u>\$</u>	9.3.3.1 Testing of PU shoe soles	95
9.3 Determination of Material Decounties (Dr. H. M. Rathermel) 455	ř·,		o
9.2 Determination of material Libratures (D1.11.18.18.18.18.19.)			ㅠ.
9.2.2 Test specimen preparation	•		ლ.
9.2.3 Determination of linear dimensions			4 ı
9.2.4 Determination of density/Apparent density	:		ე 4
9.2.5 Determination of the cell structure		9.4.1 Generally used laboratory procedures	0 6
9.2.6 Determination of the fraction of open and closed cells in foams , 464	•• .		- r
9.2.7 Determination of the mechanical properties in short term experiments . 465			- 0
9,2,7.1 Tensile experiments		ns area	9 9
9.2.7.2 Tear experiments		9.4.5 Furniture and luthusmilg	ي ج
:			9
9.2.7.4 Hardness determination		and special constructions	9
:	-	9.4.7 Other fire-related factors	5
	-	Reference list for Chapter 9	7
9.2.7.9 Impact experiments		10 PI! Points and Coatings	
mical properties in long-term experiments		On I Vach Dr C Mannicken Dr F Miller Dr H Thenself Dr H Trainfel	
rmation		W. Wieczorrek)	9
9.2.8.1 Crcep experiments			_
9.4.6.4 Compression selftensite set			: -
9,2,9 Uctorillination of the internation projectors under performenty varying 475		10.1.1.1 Two-component PU coatings	=
rue experiments on rigid integral skin foams		rmulation	4
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		5
		10.1.1.4 Processing	2
idence of properties		10.1.1.5 Properties of the coating	7
9.2.10.1 Determination of thermal expansion		10.1.1.6 Application areas	Ž 2
9.2.10.2 Defermination of the temperature dependence of characteristic	· newly	10.1.2. Solvent-borne non-reactive polyticinalies	3 =
9.2.10.3 Short duration experiments at various temperatures 478		Solvent-borne one-component stoving lacquers	ដ
			بر ک
		Two-component coating	3 X
9.2.10.6 Creep pressure experiments as a function of temperature 480	,	10.1.5.2 One-component coatmigs, moisture curring	3 5
9,2.11 Investigation of aging performance			i

11.5.3 Production and processing		ustry	Packaging applications	11.7.5 Automotive industry		 Polywrethane (PU) and Isocyanates as Binders (Dr. R. J. Kraft, Dr. R. Kubens, Dr. K. Recker, Dr. HD. Ruprecht, H. I. Sachs) 56. 	12.0 Introduction (Dr. K. J. Kraft)	12.1 Donoing of Forest and Agricultura Information (12.1.) The bonding of forest products		al products	12.1.2.1 Manulacture	12,12,3 Applications	12.2. Bonding of office froducts (Dr. 21-22. Apprecia) 12.2.1 Rubbor 12.	12.2.1.1 Manufacture	12.2.1.3 Applications	12.2.2.1 Manufacture	12.2.3.1 Inorganic products	12.2.3.2 Properties	12.3.3 Applications	12.4 Sizings for Glass Fibers (Dr. K. Recker)	12.42 Properties 12.4.2 Proper	12,4.2.2 Properties of the glass fibers	12.4.2.3 Properties of the reinforced plastic
	. •.		- .		- #		.		-			٠					• 417			. ••			-
10.1.5.4 Oven-dried, solvent-free coatings	(Dr. H. Träubel, Dr. H. J. Koch, Dr. H. Tbepsch, Dr. F. Müller) 530 10,2.1 Textile application	tion of the textile substrate	of PU-coatings	10.2.1.3 Nonwoven bonding	n leather	dispersions for paper coating		or toou packaging paper ions of polyurethane dispersions for	Polyurethane dispersions and solutions for paper sizing	ns in tanning, retanning, coloring	10.2.3.2 Finishing		10.2.3.2.3 Patent leather	10.2.3.3 Special processes		(1. Polyurethane Adhesives (Dr. M. Dollhausen)	11.2 Polyisocyanates		11.3.2 Polyols	d processing		11.4.1 Isocyanate terminated polynrethanes	11.5.1 Hydroxyl polyurethanes

,	CONFERENCE
7	

13.2.1 Dry spinning procedures 380 13.2.2 Wet spinning processes 580 13.2.3 Keaction spinning methods 581 13.2.4 Mixeeliancous processes 581 13.2.5 Post treatments 581 13.2.6 Compounding 581 19.3 Physical Crossinking of Segmented Polyurea — Urethane Elastomers 582 13.3.1 Influence of the soft segments 582 13.3.2 Influence of the soft segments 582
13.4 Properties and Testing of Elastane Yarns (Dr. H. Gall) 13.4.1 Mechanical properties 13.4.2 Thermal behavior 13.4.3 Chemical characteristics 13.4.4 Coloration 13.5 Manufacture and Operations (Dr. H. Gall) 13.5.1 Types of yarn 13.5.2 Production and application of elastic fabrics 13.5.2.1 Knif fabrics 13.5.2 Woven fabrics 13.5.3 Dyeing and fuishing 13.5.4 Characteristics of elastane-containing fabrics 13.5.4 Characteristics of elastane-containing fabrics 13.5.5 Characteristics of elastane-containing fabrics
14 Polyurethane and the Environment (L. Abele, Dr. FK. Brochhagen, U. Walber) 14.0 Introduction (Dr. FK. Brochhagen) 14.11 Regulations and guidelines 14.12 Protective measures at the workplace 14.12.2 Solvent-free raw material systems — stationary processing 14.12.2 Frocessing solvent-containing systems 14.12.4 Processing polyurethanes 14.12.4 Processing polyurethanes 14.12.4 Processing polyurethanes 14.12.4 Ecology of Polyurethanes (L. Abele) 14.12.1 Emission into the atmosphere

Handbook of Polymeric Foams and Foam Technology

2nd Edition

Daniel Klempner and Vahid Sendijarevic Edited by

R.M. Aseeva, K. Ashida, J.K. Backus, T. Baumanu, R. Broos, L. Domeier, C.V. Gupta, J.R. Harper, R. Herrington, P.T. Kelly, D. Klempner, P. Knaub, R.F. Mausser, W. Nicholson, C.B. Park, C.P. Park, J.H. Saunders, V. Sendijarevic, F.A. Shutov, K.W. Suh, D. Visco, F. Xing With contributions by

HANSER

Hanser Publishers, Munich Hanser Gardener Publications, Inc., Cincinnati

Dr. Daniel Klempner, University of Detroit Mercy, Polymer Institute, 4001 W. McNichols Road, Detroit,

Dr. Vahid Sendijarevie, Troy Polymers, Inc. 330 E. Maple Road, Troy, MI 48083, USA

Distributed in the USA and in Canada by

6915 Valley Avenue, Cincinnati, Ohio 45244-3029, USA Hanser Gardner Publications, Inc.

Fax: (513) 527-8801

Phone: (513) 527-8977 or 1-806-950-8977

Internet: http://www.hanscrgardner.com

Distributed in all other countries by

Postfach 86 04 20, 81631 München, Germany

Fax: +49 (89) 98.12 64

Internet: http://www.hanser.de

The use of general descriptive names, tradematis, etc., in this publication, even if the former are not especially identified, is not to be taken as a sign that such names, as understood by the Trade Marks and Merchandisc Marks Act, may accordingly be used freely by anyone.

While the advice and information in this book are believed to be true and accurate at the date of going to press, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Library of Congress Cataloging-in-Publication Data

Klempner and Vallid Sendijarevic; with contributions by R. M. Axeeva ... Handbook of polymeric foams and foam technology / edited by Daniel

[et al.].- 2nd ed.

ISBN 1-56990-336-0 (hardcover)

1. Plastic foams. L Klempner, Daniel. II. Sendijarevic, Valud. III. Asceva, R. M. (Roza Mikhaarilovna)

TP1183,F6H36 2004

2003025345

Die Deutsche Bibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliografie; detailfierte bibliographische Datea sind im Internet über slutp.//dnb.ddb.de> abrufbar. Bibliografische Information Der Deutschen Bibliothek

ISBN 3-446-21831-9

All rights reserved. No part of this book may be reproduced or transmitted in any form or by any menus, electrenic or mechanical, including photocopying or by any information storage and retrieval system, without permission in writing from the publisher.

@ Carl Hanser Verlag, Munich 2004

Production Management: Oswald Immel

Coverconcept: Mare Müller-Brenner, Rebranding, München, Germany Coverdesign; MCP • Susanne Kraus GbR, Holzkirchen, Germany

Pypeset, printed and bound by Kösel, Kempten, Germany

Contributors List

University of Detroit Morey Daniel Klempner Detroit, MI

froy Polymers, Inc. V. Sendijarevic Troy, MI

Pensacola, FL J.H. Saunders

ennessee Technological University Fyodor A. Shutov Cookeville, TN

Fennessee Technological University Cookeville, TN Donald Visco

Dow Chemical Co. R. Herrington

Freeport, TX

Rene Broos

Dow Chemical Co. Freeport, TX

Dow Chemical Co. Philippe Knaub

Freeport, TX

Allison Park, PA J.K. Backus

Farmington Hills, MI Kaneyoshi Ashida

Now Chemical Co.

Midland, MI

Rheimmenster, Germany Dow Deutschland, Inc. Chung Poo Park

Royal Group Technologies Ltd. Woodbridge, ON, Canada Kechang (Frank) Xing

Sandia National Laboratories University of Toronto Toronto, ON, Canada Linda Domeier

Chul B. Park

Dow Corning Corp. Albuquerque, NM. W. Nicholson Midland, MI

Dow Corning Corp. Midland, MI J.R. Harper

Dow Corning Corp. T. Baumann Midland, MI

PolyChem Alloy, Inc. C.V. Gupta

Conover, NC

Smithers Oasis Corp. P.T. Kelly Kent, OH

Carter Products Research Robert F. Mausser Cranbury, NJ

Institute of Biochemical Physics, RAN Moscow, Russia R.M. Aseeva

X Preface

meric foams of all types. In addition, individuals engaged in marketing of foams or foam raw materials will find this book of practical value. It can also be used as a textbook for a course on polymeric foams.

The editors hope that this book will stimulate creative thinking and development of new technologies, types of foams, processes, and applications.

Daniel Klempner

Vahid Scndijarevic

Acknowledgements

The editors wish to express their appreciation to the University of Detroit Mercy and to the staff of Troy Polymers, Inc. for their encouragement and helpful advice in this undertaking.

Contents

Pre	face	Preface,	≅
,	Intro [.]	Introduction	~ 4
7	Fund 2.1 2.2 2.3 2.3 2.4 2.4	Fundamentals of Foam Formation 2.1 Introduction	200000000000000000000000000000000000000
m	3.4 3.4 3.4 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.6 3.6 3.6 3.6 3.6 3.6 3.6 3.6 3.6 3.6	Cellular Structure and Properties of Foamed Polymers. 3.1 Introduction	
	3.7		in m

XII Contents

	3.7.1	Flexible Foamed Polymers	88
	•	tigid Foamed Polymers	65
3.8		Structure and Thermal Conductivity of Foamed Polymers	· •
	3,8,1	;	=
	3.8.2	Thermal Conductivity of the Gas Phase41	
	3.8.3	Radiative Thermal Conductivity	I
	3.8.4	γ)	33
	3.8.5	al Conductivity	9
3.9		General Concepts 47	11
	3.9.1	ons of Polymer Foams	1.1
	3,9.2	Six Structural Levels 48	∞
	3.9.3	of Cellular Structure	5
	3,9,4	***************************************	9
	3.9.5	Polymers	31
3.10	0 References	20cs	23
Ē	17.7		·
+ File	xoose ro	Fiendie Folyufelbane Foams	Q :
4.		111111111111111111111111111111111111111	2
	£.I.	TS.	55
		Markets	9
4.2		Chemistry	7.
	4.2.1	÷	Q,
	4.2.2	***************************************	00
		Foam Recipe Components	13
4.3		Morphology	7
	43.1	Review of Current Concepts 77	7.7
	4.3.2	***************************************	4
4,4			7.
	•		55
	4.4.2		99
	4,4,3		9
	4.4.4		7
	4.4.5		. 60
	4.4.6	e Processes.	6
4.5		ρ.	4
	4.5.1	Foam Density	2
	4.5.2	***************************************	35
	4.5.3	***************************************	77
	4.5,4		7
	4.5.5	:	8
	4.5.6	***************************************	6
	4.5.7		6
	4.5.8	i duce	0
4.6		***************************************	2
	4.6.1	Slabstock Chemistry 100	8
	4.6.2	it Developments	0
	4.6.3	High Load Bearing Foams 101	11
	4.6.4	***************************************	22

		•			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	č
	62.2 F	Kinetics and Mechanisms of Cyclotimerization	56	2.6	References	52
53	Preparat	ranurate Foams.	0			
	6.3.1	***************************************	0	& M.	yolcfin Foam	233
		oams	uń a	× 0	INTOQUEED	22.4
	6.3.3	Annde-Modified Polytsocyanurate Foams	178	ò	Circuisal y and Freparation	237
	- ,				Foam Expansion with a Chemical Blowing Agent	248
4	Applicat	***************************************	\ C	8.3	Properties and Their Relation to Structure	262
ţ	641 6	Roards	. 0		8.3.1 Properties of Commercial Products	366
	,	s Insulation [61]	, ,		Relationships Between Structure and Properties	267
				8.4	Commercial Production and Processing	275
		cal Plant Insulation	m			275
			i co		in Beads	278
			ψ		Cross-Linked Polyolefin Foam Sheet Processes	281
		and Solar Energy			8,4,4 Cross-Linked Polyolefin Foam Bun Stock Processes	286
				8.5	Applications	288
	6.4.8	le Polyurethane Foams	184		Fabrication	288
5.5	- 53		184		8.5.2 Major Applications	289
				8.6	References	293
Jo.	tyrene a	Polystyrene and Structural Foam	681			
`	Introduc	tion	- Ø	9	PVC Foams 3	301
!	7111		0	9.1	Introduction	301
2	Chemist		0	9.2	Characteristics of PVC	303
)	721	Process	• •			304
		TOCKED TOTAL			Structure Changes During Processing	305
(Dronont	A to to the tree.	 Y		Influence of PVC Fusion on Physical Properties	305
3	73.1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ı Vi	9.3	Formulation Technology	305
		al Droducts	. Y		9.3.1 Overview of Formulas for PVC Foam	305
	. ,		199			
			204		Properties of Foamed Products	308
			. <u></u>			317
			2		Design of Experiment (DOE) for Foam Formulation Development	318
			- 1	9,6	Processing Technology.	320
					9.4.1 Extrusion of PVC Foams	321
7.4	Commo	guisse	×		Injection Molding of PVC Foams	328
:	741				sheric Pressure	329
		Processes	(-)		Microcellular PVC Foams	331
1	Applica		i 4		PVC/Wood Flow Composite Foams	334
;	7.5.1	***************************************	·	9.5	Mechanical Property Analyses and Test Standards	335
		***************************************	2 12	i	9.5.1 Mechanical Properties	336
	-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			ASTM and ISO Standards.	340
		Fackaging 2 Structural Commonante	217	9.6	References	341
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	910			
		Marine Applications	219	10 E	Epoxy Foams	347
		***************************************	219			347
		***************************************	. :	: =	Froxy Chemistry and Formulations.	347
		Fugici Oses, Frankline in Roam Indialition	3 ⊊	; =		349
			2	, ,	The state of the s	

	10.3.1 Inert Cas Blowing Agents	350	12.2.3 Preparation	*************
	The first of the factor of the	250	12.3 Properties and Their Relationship to Structure	
	ment Liquia Blowing Agents	200		
	10.3.3 Reactive Blowing Agents	920	12.3.1 Mulciulal Features	***************************************
	10 3.4 Exnanding Syntactic Fillers	351	12.3.2 Physical Properties	***************************************
	10.2-4 Harding Discourse	352	12.4 Commercial Production and Processing	***************************************
	10.0,0 1.10 MINOL Lypdako minominingan minom	0.00	15 / 1	
	10.5.6 Epoxy Emissions	27.0	TOTAL TRANSPORTER	
	10.3.7 Non-Aqueous Liquid Extractable Pore Formers and CIPS	352		************
	10.3.8 Solid Extractable Pore Formers	353	12,43 Disponsing	
	1039 Stereofithography	353	12.4.4 Equipment Selection	***************************************
	10.3 Combington of Thomas and Longitudes Book Thomasete	354	12 5 Applications	
·		355		
	10.5 Inree-Phase Syntactics	222		
	10.6 Fiber-Reinforced Foams	326		***********
	10.7 Removable Foams	356	12.5.3 Features of Silicone Products	***************************************
		357	12.5.4 Areas of Application	***********
	10.0 (Automotive (1) Car A Marine Balows	357	12 6 Pathannes	
	10.5.1 Automionive (also dec Autiesive Applications Detow)	100		
	10,8,2 Electronics Encapsulation	777		
	10.8.3 Adhesives	361	13 Fluoropolymer Foams	***************************************
	10 8.4 Building Retrofiting	361	13.1 History and Introduction	***************************************
	10 8 5 Dame Tonte and Bridges	362	13.2 Chemistry and Physics of Foam Preparation	
	10.00 Dailes, railes alla Diragosiminioni della diragosiminioni della diragosiminioni della directoria di la Compania della directoria directoria della directoria della directoria director	367		
	10.3.0 Expanding Cores	304	~ -	
	10.8.7 Sports Equipment	705	15.5 Properties and their relation to Cell Sumeture	
	10.8.8 Personal Care Products	363	13,3.1 Physical Properties	***************************************
	10 & 0. Thermonlastic Processing and Recycling	363	13.3.2 Thermal Properties	************
	10 0 101 - Colombia Colombia and according to the colombia colombia and the colombia	363	13 3.2. Specific Hear	
	IO, S. LU L'ang Substitutes	200		
	10.9 References	202	ting o	
			13.4 Commercial Production and Processing	
-	Latex Foam and Shonge	367		***************************************
5	11 Introduction	367	13.4.2 Foaming of Fluoroelastomer Resins (such as Viton)	***************************************
	TILL MILLOUNDE THE TANK THE TA	070		
	11.2 Dunlop Process	אַמַּ	13.7.7.7 LALIBOIONON ON A LI LA ACCONTANTANTANTANTANTANTANTANTANTANTANTANTAN	***************************************
	11.2.1 Compounding Ingredients	369	13.5 Applications	***************************************
	11 2.3 Proceeding Mothes	370	13.6 Reforences	***************************************
	11 O O December 1900s	371		
		20.00		
	II.3 Freeze Process	5/3	14 W 000 FIOUR COMPOSITE FORMS	
	11.3.1 Original Freeze Process	374	14.1 Introduction	***************************************
	11.3.3 Newer Freeze Process	374	14,1.1 Background on Polymeric Composites	***************************************
	11.4 Spanne 3.74		14.1.2 Natural Fibers and Their Properties	************************
		174	14.13 Plastic/Wood Flour Composite Foams	***************************************
	11 4 2 Chand Call Oncomes Dubbeau	375	14.2 Major Issues in Development of PWC Foams	***************************************
	11.4.4	370		
	11.5 References	3/8	14.2.1 Inclinat Degradation of tradition 1 foods	Thers
;	***	010	14.2.2 Dienamion of Natural Riber and Ribon-Matrix Ronding	
2	Silicone FoamsSilicone Foams	3/3		
	12.1. Background and Development	379		***************************************
	12.1.1 Background	379	14.3 Phase Changes in Foaming of PWC	*****************
	12.1.2 Development of Silicone Foams	379	14.3.1 Changes in Phase Morphology of the Extrudate During	
	12.1.3 Development of Flame-Retardant Foam Technology	381		
	12.2 Chemistry and Prenaration	381		***************************************
	100 Hoom Hormatian	381	14.3,3 Cell Nucleation	*************
	19.9.3. Outland Incompliant	381		***********
	12.2.2 Opuonai ingredienis			

384 384 384 386 386 386 387 388 388 388 388 388 389 390 400 400 400 400 400 400 400 400

17.3.4 Regulating the Apparent Density		17.4.1 Dpoly bylidelic Fegius	17.4.3 Phenolic Syntactic Foams	17.4.4 Organosilicone Syntactic Foams	17.4.5 Polyimide Syntactic Foams	17.4.6 Carbonized Syntactic Foams	17.4.7 Syntactic Prepregs	17.4.8	17.5 Physical Properties of Syntactic Foams	17.5.1 Strength Properties	17.5.2 Water Absorption and Resistance to Hydrostatic Pressure	17.5.3 Thermal Properties	17.6 Recent Developments and Main Applications		17.6.2 Structural Applications	17.6.3 Aerospace Applications	17.6.4 Other Applications	17.7 References		18 Blowing Agents for Polymeric Foams	18.1 Introduction	18.2 Classification	18.3 Chemical Blowing Agents		18.3.2 Increanic Blowing Agents	18 3 3 Oreanic Blowing Agents	18.3.4. Blowing Agents that Liberate Gases as a Result of Chemical	Interaction between the Components	18.3.5 Practical Chide for Selection of CBAs	18.4 Physical Blowing Agents and Environmental Problems		18.4.2 Volatile Liquids	18.4.3 Solid Blowing Agents	18.5 Gases 546	18.6 Nucleazites	18.7 References		Annendix 1	Letters of the Roman Alphabet	Canital Greek Letters	Lower Case Greek Letters		Annendiv 7	The state of the s	Conversion ractors between ranginal and sail of miss for Quantities. Used in Describing the Physical Properties of Foams	
426	1	77	434	439	442	443	ţ	447	447	447	449	450	452	452	454	455	455	1	457	457	458	458	460	462	463	463	468		468	470	471	475		479	479	480	480	480	481	482	482	482	482	763	483	
14.4 Experiments and Discussion	Varior Content of Tetractives	Continual Processing Temperature in Extrusion Processing	of PWC Foams	14.4.4 Foaming with Various CBAs				15 Phenolic Foams	15.1 Chemistry and Foam Formation	15.1.1 Phenolic Resins	15.1.2 Crosslinking of Phenolic Resins	15.1.3 Foam Formation	15.1.4 Reduction in Corrosivity of Phenolic Foam			15.4 Applications	15.5 References		16 Flame Retardancy of Polymeric Foams	16,1 Introduction	meric F						16.4 Recent Advances in Flame Retardancy of Polymeric Foams.	16.4.1 The Development of Foams Based on Inherently						17 Syntactic Polymer Foams					Polymeric Microspheres	Miscellancous Other Microspheres	Macrospheres		17.3.1 General Considerations		Casting and Molding Compositions	

532 536 539 539 540 540 540 540

505 505 507 507 507 509 511

546

549 549 550 551